

CS 146 Fall 2024 – Quiz 3 “Cheat Sheet”

Numeric Operators

+, -, /, *: Addition, subtraction, division, multiplication

//: Floor division: Round division result down to nearest whole number

%: Modulus: Evaluate to remainder of division

Precedence (equal precedence evaluated left-to-right):

parentheses > ** > negate > *,/,//,% > +, -

Indexing Operator

seq[idx]: Item of seq at index idx

seq[start:stop[:step]]: Copy of subsequence of seq from inclusive start to exclusive stop by step

Range

range(stop): Equivalent to range(0, stop, 1)

range(start, stop[, step]): Create sequence of integers from inclusive **start** to exclusive **stop** by **step**

Strings

- The following functions are built-in

len(string): Returns the number of characters in the string

int(string), float(string): Converts numeric string to int or float

str(object): Converts object, e.g. int or float to a string

sorted(string): Returns the characters of the string as a list in sorted order

- String object methods

upper(), lower(), capitalize(), swapcase(): Returns a new upper or lower-cased, or 1st letter upper-cased, or case reversed (lower ↔ upper) string

index(item): Returns the index of the first occurrence of item in the string or error otherwise

find(some_string): Returns the first index that **some_string** occurs at in the string or -1 if not found

find(some_string, index): Same as above, but starts searching at index

replace(old, new): Return a copy of the string with all occurrences of old substituted with new

startswith(prefix): Returns **True** if the string starts with prefix, **False** otherwise

endswith(suffix): Returns **True** if the string ends with suffix, **False** otherwise

strip(): Returns a copy of the string with only the leading and trailing whitespace removed

split(): Return a list of the words in the string using whitespace as the delimiter

- String operators

string1 + string2: Returns a new string that is the concatenation of string1 and string2

string * int: Returns a new string that is string repeated int times

substr in string: Returns **True** if substr is a substring of string, **False** otherwise

Lists

- Creating new lists

[] creates empty list

[object1, object2, ...] creates list containing objects

list(iterable) creates a list from any iterable object (e.g., range, set, string)

- The following functions are built-in and answer questions about lists

len(list): Returns the number of elements in list

sum(list), min(list), max(list): Returns the sum, min, or max of elements in list

sorted(list): Returns a new copy of the list in sorted order

- List object methods

append(x): Adds x to the end of the list

extend(other_list): Adds all elements of `other_list` to the end of the list
index(item): Returns the index of the first occurrence of `item` in the list or error otherwise
insert(index, x): Insert `x` at `index` in the list
pop(): Removes the item at the end of the list and returns it
pop(index): Removes item at `index` from the list and returns it
reverse(): Reverses the elements in the list
sort(): sorts the elements in the list in place

- List operators

list1 + list2: Returns a new list that contains the elements of `list1` followed by the elements of `list2`
list * int: Returns a new list that contains the items in `list` repeated `int` times
item in list: Returns True if `item` is an element of `list`, False otherwise

Modules

- **random** module

randint(a, b): Return a random integer `N` such that $a \leq N \leq b$
uniform(a, b): Return a random floating point number `N` such that $a \leq N \leq b$

- **math** module

sqrt(num): Return the square root of `num`