Math Foundations of Computer Science

Inductive Proof Recipe:

- Let P(n) be the predicate _____. We will prove, using induction on n, that P(n) is true for all n ≥ ____.
- Base Case: P(__) is true because ____
- Inductive Case: Let k ≥ _. Assume, for induction, that P(k) is true.
 Then <u>[a bunch of explanation and math here]</u>. Thus, P(k + 1) is true.
- Therefore, by induction, P(n) is true for all $n \ge _$.

Prove: $7^n - 1$ is a multiple of 6 for all integers $n \ge 0$. (Hint: x is a multiple of 6 if $x = 6 \cdot m$ for an integer m.)



• Let P(n) be the predicate $7^n - 1$ is a multiple of 6. We will prove via induction that P(n) is true for all $n \ge 0$.



• P(0) is true because $7^0 - 1 = 1 - 1 = 0$, and $0 = 6 \cdot 0$, so 0 is a multiple of 6.

Inductive Case

Let $k \ge 0$. Assume for induction that P(k) is true. This means there exists an integer m such that

$$7^k - 1 = 6m.$$

Multiplying both sides by 7 and then adding 6 to both sides, we get $7(7^k - 1) + 6 = 7(6m) + 6$.

Simplifying, we have

$$7^{k+1} - 1 = 6(7m + 1).$$

Because m is an integer, 7m + 1 is an integer, so P(k + 1) is true.



• Therefore, by induction on n, P(n) is true for all $n \ge 0$.